## **Mathematical Vocabulary**

## Year 2



## **Mathematics vocabulary list Year 2**

Listed below are the key mathematical terms your child will learn this year. This is the minimum we expect children to learn; however, we know children are curious and will undoubtedly want to learn more and we encourage this.

<u>Vocabulary</u>	<u>Definition</u>	<u>Example</u>	
Number and Place Value			
Calculate	To work out mathematically.	'Can you <b>calculate</b> the answer to 13 + 4?'	
Column	A vertical arrangement of numbers or objects.	'24 has two tens — I will place them into the tens <b>column</b> '.	
		Tens Ones  2 4	
Continue	To carry something on.	'Can you <b>continue</b> this pattern?  15, 20, 25, 30, 35'	
Efficient	Well-organised. Choosing an efficient computation strategy requires consideration of the numbers involved and will normally utilise 'known facts'.	'I will use my number bonds knowledge to calculate 22 + 7 efficiently. I know that 2 + 7 is equal to 9, so the answer is 29. That's more efficient that counting on seven.'	
> Greater than	The > symbol means "greater than". It shows that one number or value is larger than another number.	'Ten is <b>greater than</b> three'  10>3'	
Hundreds	The number equivalent to the product of ten and ten; ten more than ninety; a three-digit number.	HUNDRED TENS ONES	
< Less than	The symbol < means that one number is smaller than the other number.	'Thee is <b>less than</b> 10.  3<10'	

1	T	T
One-, two- or three- digit number	One-digit numbers are the numbers 0-9; two-digit numbers are the numbers 10 to 99; three-digit numbers are the numbers 100 to 999	'Can you give me a <b>two-digit</b> number greater than 46?'
Operation	A mathematical process. The four mathematical operations are addition, subtraction, multiplication and division.	'4 + 2 = 6. The <b>operation</b> is addition.'
Place value	A system for writing numbers, in which the value of a digit is defined by its position within the number.	'In the number 52 written in base ten, The digit five has a <b>value</b> of 50 and the digit two has a <b>value</b> of 2.'
Predict	A prediction is a reasonable guess as to what will happen.	'I <b>predict</b> the next number in the sequence will be 45.
Representation	A very general relationship that expresses similarities (or equivalences) between mathematical objects or structures.	Money Different Numbers:  Write it  Hill  Money Adding: 5t5=10  Ways to Show Subtracting: 20-to-16  Number Sentero  Number Sen
Rule	Rule is the procedure that a count must follow.	'The <b>rule</b> in the sequence below is add 2. 31, 33, 35, 37, 39'.
Sequence	A list of numbers or objects in a special order.	'The <b>sequence</b> below starts at 3 and increases by 4 every time.  3, 7, 11, 15'.
Twenty-first, twenty-second	'Twenty-first, twenty-secondninety ninth, one-hundredth'.	
Twenty-one, twentytwo	'Twenty-one, twenty-two, twenty threeninety-nine, one-hundred'.	
Addition and subtraction		
Facts	A fact family can be defined as a group of math facts or equations created using the same set of numbers.	'34+13=47 13+34=47 47–34=13 47–13=34'
Inverse operations	Opposite operations that 'undo' each other.	'Addition and subtraction are <b>inverse operations</b> .'

Near double  Regroup	When two numbers involved in an addition are close in value, such as 23 + 22. The numbers can be treated as exact doubles, followed by compensating.  To rearrange groups in place value to carry out an operation.	'To calculate 23 + 22, I can use the near double strategy. I can double 22 and then add one more.'   To calculate 23 + 22, I can use the near double 22 and double 22 and then add one more.'  Tegroup  2 12 3 2 -1 5 -1 5 -1 5 1 7
Regroup		Tens Ones  28  15  43  Regroup the ones as a ten.
Multiplication and division		
Division fact	Division number sentences related to times tables knowledge.	'20 ÷ 5 = 4 is a <b>division fact'</b> .
Equal groups of	A group is an equal group if it has the same number of items as all of the other groups.	EQUAL GROUPS Each group has the same number of objects.  There are two groups, and each group has four turtles.
Left over (remainder)	When dividing in maths, the groups can be the same size. Sometimes there may be a leftover.	Left Over

Multiplication fact	The answer to a multiplication calculation. For example in 3 x 3 = 9, the multiplication fact is 9.	'10 x 7 = 70 is a <b>multiplication fact'</b> .	
Multiplication table	A list that shows the results of multiplying certain numbers by each other.	2 × O = O 2 × 1 = 2 2 × 2 = 4 2 × 3 = 6 2 × 4 = 8 2 × 5 = 1O 2 × 6 = 12 2 × 7 = 14 2 × 8 = 16 2 × 9 = 18 2 × 10 = 2O 2 × 11 = 22 2 × 12 = 24	
Times and multiplication	An arithmetic operation that is the inverse of division.	'Four <b>times</b> three equals twelve'.	
Fractions			
Denominator	The number written below the vinculum in a fraction. In a measure context, it indicates the number of equal parts into which the whole is divided. In a division context, it is the divisor.	= Numerator 2 = Denominator	
Equivalence	The condition of being equal or equivalent in value, worth.	$\frac{2}{4} = \frac{1}{2}$	
Mixed number	A number consisting of an integer and a proper fraction.	$1\frac{3}{4}$ $1\frac{3}{4}$	

Non-unit fraction	A fraction with a numerator greater than one.	'Two thirds is a <b>non-unit fraction</b> .'
Numerator	The number written above the vinculum in a fraction. In a measure context, it indicates the specified number of parts out of the whole. In a division context, it is the dividend.	2 = Numerator  2 = Denominator
One of three equal parts	When a shape is divided into three equal parts, each part is called a third.	One-third means one of three equal parts.
One third, two thirds	When a shape is divided into three equal parts, each part is called a third. Two of these parts are called two thirds.	$\frac{2}{3}$
		Two-Thirds
Two halves	Two equal parts of one whole thing.	two halves
Two quarters, three quarters	When a shape is divided into four equal parts, each part is called a quarter. Two of these parts are called two quarters. Three of these parts is called three quarters.	two-quarters when I has be into 4 pau
Unit fraction	A fraction with a numerator of one.	1⁄4 is a <b>unit fraction</b> .'

	Length	
Centimetre	A measure of length. It is about the width of a fingernail.	'The length of the line is <b>20cm</b> '.
	There are 100 centimetres in a metre.	
	The abbreviation is cm.	
Furthest	At or by the greatest distance.	'The child in the red jumper is <b>furthest</b> away from the tree.'
Tape Measure	A length of tape or thin flexible metal, marked at graded intervals for measuring.	'Which iten would be the best to measure this object- a ruler, metre stick or <b>tape measure</b> ?'
	Weight	
Gram	A metric unit of mass equal to one thousandth of a kilogram.	'This apple weighs approximately 100 grams'.
	Capacity and volume	2
Millilitre	One thousandth of a litre.	'This small beaker holds about 60 millilitres of water'.
	Temperature	
Degree	A set change in temperature measured against a given scale	'The temperature at present is 16 degrees Celsius'.
Temperature	Measure of hotness or coldness.	'The <b>temperature</b> at present is 16 degrees Celsius'.
	Time	
5, 10, 15 minutes past	11 1 10 9 8 7	2 1 2 3 4 5

Digital clock	A clock that displays the time in numerical digits rather than by hands on a dial.	
Fortnight	A period of two weeks.	'There are 14 days in a <b>fortnight'</b> .
Seconds	A unit of time.	'There are 60 <b>seconds</b> in a minute'
	2d shape	
Hexagon	A polygon with six sides and six angles.	
Line symmetry	A shape is symmetrical when it fits exactly onto itself when folded in half.	This triangle has one line of symmetry.
Octagon	A polygon with eight sides and eight angles.	
Pentagon	A polygon with five sides and five angles.	
	3d shape	
Surface	The outside part or uppermost layer of a 3d shape.	2D Shapes on the Surface of 3D shapes  Cobe A cube has 6 square hased pyramid A cuboid has 8 rectorgiber hase A cuboid has 8 rectorgiber hase A square-based pyramid A cuboid has 8 rectorgiber hase A should has 8 rectorgiber hase A sequire prism A sequire prism A sequire prism has 2 stoop form in his 2 stoop form in his 2 stoop form. In his 2 stoop form is his 2 stoop form.

Position and direction			
Right angle	An angle of 90°, as in a corner of a square	90°	
Straight line	A line that does not curve.		
	Statistics		
Frequency	The number of times something occurs within a data set.	'4 pupils have brown hair. The frequency of brown hair is 4.'  Brown Blue Blonde  IIII III I	
Label	The horizontal label across the bottom and the vertical label along the side tells us what kinds of facts are listed in a graph.	Favourite Fruits  10  8  10  4  4	
Least common	The smallest amount or number.	'No one caught the bus to school. It was the <b>least common</b> mode of transport'.	
Least popular	The smallest amount or number.	'No one chose green as their favourite colour. It was the <b>least popular</b> option'.	
Most common	The biggest amount or number.	'20 children walked to school. It was the <b>most common</b> mode of transport'.	
Most popular	The biggest amount or number.	'15 children chose red as their favuorite colour. It was the most popular option.'	
Pictogram	A representation of data using pictures or symbols.	Countries people visited  France	
Represent	To present something in a certain way.	'We are going to <b>represent</b> the data you collected in a pictogram'.	

Tally

A form of counting. Each tally is a vertical mark. After the fourth vertical mark, a fifth horizontal/diagonal mark is drawn to create a group of five.

'The tally chart shows that blue was the most popular colour.'

Yellow	11/1	4
Red	1111	5
Blue	HHT I	6
Green	1	1
Pink	///(	4

Title

The title of a graph tells you what the graph is about.

